



Shedsafe_R accredited_PMS.eps
Shedsafe_R accredited_CMYK.eps
Shedsafe_R accredited_PMS.ai
Shedsafe_R accredited_CMYK.ai



NB: Background shown here are for illustrative purposes only; it is not part of the logo artwork

Shedsafe_R accredited_PMS_reversed.eps
Shedsafe_R accredited_CMYK_reversed.eps
Shedsafe_R accredited_PMS_reversed.ai
Shedsafe_R accredited_CMYK_reversed.ai




Shedsafe_R accredited_mono.eps
Shedsafe_R accredited_mono.ai



NB: Background shown here are for illustrative purposes only; it is not part of the logo artwork

Shedsafe_R accredited_mono_reversed.eps
Shedsafe_R accredited_mono_reversed.ai

Logos supplied for
4-colour / cmyk / process

 c100 m51 y0 k38

 c0 m100 y81 k4

File types:
eps – Illustrator Version 10
ai – Illustrator Version CS3

If a supplier requests the equivalent **Pantone / PMS / Spot colours**, the specification is:

 PMS 541c

 PMS 186c



Shedsafe_R accredited_colour_CMYK.jpg
Shedsafe_R accredited_colour_RGB.jpg
Shedsafe_R accredited_colour.png



Shedsafe_R accredited_colour_reversed.png



Shedsafe_R accredited_mono.jpg
Shedsafe_R accredited_mono.png



Shedsafe_R accredited_mono_reversed.png

NB: Background shown here are for illustrative purposes only; it is not part of the logo artwork

NB: Background shown here are for illustrative purposes only; it is not part of the logo artwork

Logos supplied for
rgb / on-screen

File type:
png
jpeg

150dpi @ approx
150mm wide

Logo file explanations

(check preferred file format with your supplier)

png:

(Portable Network Graphics) is recommended for internal documents, presentations etc. Use in Word, PowerPoint etc. This file type allows for transparency (eg logo can sit over the top of different coloured backgrounds).

jpg:

(Joint Photographic Experts Group) is the more commonly-known file type for internal use, however has limitations with transparency – JPEGs have white backgrounds.

Therefore, there are no reversed JPEGs here because the white shed cannot be visible on a white background.